



Vertically Polarized Sector Antennas

2400 to 2485 MHz Operation

Features

- Vertically Polarized
- 90 deg, 120 deg and 180deg models with gains from 9dBi to 14dBi
- Type N Female Integrated Connector
- Extremely Rugged for long service life in extreme environments
- Weatherproof

Applications

- 2.4 GHz ISM Band Applications
- 802.11b and 802.11g Wireless Systems
- Point to Multi-point Systems
- Base Station Antennas
- Wireless Broadband Systems
- WiFi Access Points

Description

The Vertically Polarized Sector antenna systems offered by Pacific Wireless are constructed of UV stable fiberglass radomes for extremely long service life in the most demanding conditions. The antennas are constructed using corrosion resistant metal elements and a unique air dielectric system which are more stable than PCB based antenna systems because they don't absorb moisture, which can degrade the performance of PCB based antenna systems. The 14dB sectors come with a stainless steel scissor bracket system for ease of installation and alignment. The 9dBi sector comes with a galvanized steel bracket with stainless steel hardware.

Specifications

Parameter	Min	Typ	Max	Units
Frequency Range	2400		2485	MHz
Input Return Loss (S₁₁)		-14		dB
VSWR		1.5:1		
Impedance		50		OHM
Input Power			100	W
Pole Diameter (OD)	1" (25)		2" (50)	Inch (mm)
Operating Temperature	-40		+70	Deg C

2400 – 2485 MHz	SA24-90-9	SA24-120-9	SA24-180-14
Gain	9.5 dBi	9 dBi	14 dBi
Horizontal Beam Width	90 deg	120 deg	180 deg
Vertical Beam Width	30 deg		10 deg
Front to Back	25 dB		25 dB
Mechanical Downtilt	45 deg		10 deg
Weight	25oz (0.7kg)		11lb (5kg)
Dimensions (LxWxH)	10" x 6.5" x 2.5" (254 x 165 x 63.5mm)		40" x 10.25 x 7 (1020 x 260 x 180mm)




180 deg Sector



9dBi Sector

Antenna Patterns at 2.4GHz



Wind Loading				
Model	Sq. In	100MPH	125MPH	100MPH 1/2" radial ice
SA24-xx-9	65	16.3 lb	25.4 lb	17 lb
SA24-180-14	400	100 lb	156 lb	102 lb

Notes:

- All shipments F.O.B. Pacific Wireless Bluffdale, UT 84065
- All antennas carry a 2 Year Warranty

System Ordering: SA24 - -

Horizontal Beamwidth

90 = 90deg
120 = 120deg
180 = 180deg

Antenna Gain

9 = 9dBi
14 = 14dBi



180 deg Sector

For further information contact:



Pacific Wireless

14557 South 790 West Unit B
Bluffdale, UT 84065
TEL (801) 572-3024
FAX (801) 572-3025
www.pacwireless.com